UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

500488.091556 Total Pages in this Subm

Docket No.

19

(Only for new nonprovisional applications under 37 CFR 1.53(b))

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Box Patent Application

Washington, D.C. 20231
Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an
invention entitled: FOCUS FADER WITH DUAL OPTOCOUPLERS
FOCUS FADER WITH BURL OF TOCOUTLERS
and invented by:
Ruben Meraz
If a CONTINUATION APPLICATION, check appropriate box and supply the requisite information:
Continuation Divisional Continuation-in-part (CIP) of prior application No.:
Which is a:
Continuation Divisional Continuation-in-part (CIP) of prior application No.:
Which is a:
Continuation Divisional Continuation-in-part (CIP) of prior application No.:
∄ Enclosed are:
Application Elements
1. ☑ Filing fee as calculated and transmitted as described below
Thing fee as calculated and transmitted de desembed selem
2. 🗷 Specification having <u>nine (9)</u> pages and including the following:
o M. Dessibilita Tilla of the Invention
a. 🗷 Descriptive Title of the Invention
b. Cross References to Related Applications (if applicable)
c. Statement Regarding Federally-sponsored Research/Development (if applicable)
d. Reference to Microfiche Appendix (if applicable)
e. ☑ Background of the Invention
f. 🗷 Brief Summary of the Invention
g. 🗷 Brief Description of the Drawings (if drawings filed)
h. 🗷 Detailed Description
i. ☑ Claim(s) as Classified Below
j. 🗷 Abstract of the Disclosure

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No. 500488.091556

Total Pages in this Submission 19

Application Elements (Continued) ■ Drawing(s) (when necessary as prescribed by 35 USC 113) Formal Number of Sheets a. 🔲 b. 🔀 Informal Number of Sheets one (1) ■ Oath or Declaration a. 🗶 Newly executed (original or copy) Unexecuted b. 🗌 Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only) C. 🗶 With Power of Attorney ■ Without Power of Attorney DELETION OF INVENTOR(S) d. 🔲 Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. 1.63(d)(2) and 1.33(b). Incorporation By Reference (usable if Box 4b is checked) The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein. ☐ Computer Program in Microfiche (Appendix) □ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all must be included) a. Paper Copy b. Computer Readable Copy (identical to computer copy) c. Statement Verifying Identical Paper and Computer Readable Copy **Accompanying Application Parts** Assignment Papers (cover sheet & document(s)) ☐ 37 CFR 3.73(B) Statement (when there is an assignee) 10. English Translation Document (if applicable) 11. ☐ Information Disclosure Statement/PTO-1449 ☐ Copies of IDS Citations 12. Preliminary Amendment 13. Acknowledgment postcard 14. Certificate of Mailing

Express Mail (Specify Label No.): EK839444523US

First Class

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No. 500488.091556

Total Pages in this Submission 19

		Accompanying Ap	plication Pa	irts (Cor	itinued)	
15. 🔲 (Certified Copy of Priority Document(s) (if foreign priority is claimed)					
16. 🔲 /	Additional Enclosures	(please identify below	w):			
		Fee Calculat	tion and Tra	ansmitta	I	
77. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		CLAIMS A	S FILED			
For	#Filed	#Allowed	#Extra		Rate	Fee
Total Claims	11	- 20 =	0	×	\$18.00	\$0.00
Indep. Claim	s 1	- 3 =	0	x	\$78.00	\$0.00
Multiple Dep	endent Claims (chec	k if applicable)]			\$0.00
BASIC FEE \$690.00						E \$690.00
OTHER FEE	(specify purpose)	Recording A	Assignmen	t		\$40.00
**************************************					TOTAL FILING FE	E \$730.00
A check The Con as descr	in the amount of amissioner is hereby a libed below. A duplica Charge the amount of Credit any overpaymes Charge any additional Charge the issue fee soursuant to 37 C.F.R.	uthorized to charge a te copy of this sheet \$690.00 as nt. filing fees required u set in 37 C.F.R. 1.18	is enclosed filing fee. nder 37 C.F	eposit Ad	and 1.17.	15
Dated: Aug	ıst 9, 2000		Re Pi 71 No	tney, Har 1 Third A	n No. 24,419 din, Kipp & Szuch LLI Avenue - 20th Floor NY 10017	

Date lerewith	Examiner Not Yet Assigned	Docket No. 500488.091556 Group Art Unit Not Yet Assigned	
L OPTOCOUPLE	Not Yet Assigned	l i	
L OPTOCOUPLE		Not Yet Assigned	
	ERS	88. U.S. U.S. L. P. T. P	
spondence:		8	
		<u></u>	
ON			
(Identify type o	f correspondence)		
	Michelle D'Ond (Typed or Printed Name of Person Ma (Signature of Person Mailing C	uiting Correspondence)	
	EK839444523US ("Express Mail" Mailing Label Number)		
Each paper must hav	ve its own certificate of mailing.		
	Each paper must hav	Each paper must have its own certificate of mailing.	

BACKGROUND OF THE INVENTION

Field of the Invention

This invention pertains to a cross fader with dual optocouplers, which can be used in a DJ (disk jockey) mixer or as a replacement cross fader for a DJ mixer.

Description of the Prior Art

In the prior art, cross faders have used resistive components to allow a user, such as a disk jockey, to cut or short out a first signal from a respective channel of audio signal, while allowing the opposite channel of signal to pass. However, such resistive cross faders have been deficient with respect to noise, wear characteristics and lack of complete cutting of the respective signal.

OBJECTS AND SUMMARY OF INVENTION

It is therefore an object of the present invention to provide a cross fader which has improved characteristics with respect to noise.

It is therefore a still further object of the present invention to provide a cross fader which has improved characteristics with respect to wear.

609283A01072700

It is therefore a still further object of the present invention to provide a cross fader which has improved characteristics with respect to the degree to which the signal is cut.

It is therefore a final object of the present invention to provide a cross fader which is mechanically and electronically compatible with existing equipment.

These and other objects are attained by providing a cross fader which uses dual optocouplers -- one for each respective channel of the audio signal and located at each end of the fader travel. A blade shutter is positioned by guide rods so that it passes between the operational slots of the optocouplers. The blade shutter is mechanically coupled to a knob on the outside of the cross fader so that the operator can move the blade shutter into the operational slot of an optocoupler, thereby cutting the channel of the audio signal from that optocoupler while allowing the other channel of the audio signal from the other optocoupler to pass unimpeded.

The optocouplers are mounted on a p.c. board for ease of assembly. Likewise, the entire mechanism is mounted to a mounting plate for ease in replacement and securing to the frame of the disk jockey mixer.

DESCRIPTION OF THE DRAWINGS

Further objects and advantages of the invention will become apparent from the following description and claims, and from the accompanying drawings, wherein:

Figure 1 is a side view, partially in phantom, of the cross fader of the present invention.

Figure 2 is a top view, partially in phantom, of the cross fader of the present invention.

Figure 3 is an end view, partially in phantom, of the cross fader of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring now to the drawings in detail wherein like numerals refer to like elements throughout the several views, one sees that Figure 1 is a side view of cross fader 10 of the present invention. Cross fader 10 includes hollow casing 11 formed from bottom plate 12 (which is typically formed from a P.C. board), top plate 14, end plates 16 and 18, and side plates 20 and 22 (see Figure 3). Moreover, face plate 24 is affixed to top plate 14 and extends past end plates 16 and 18. As shown in Figure 2, face plate 24 includes mounting apertures 26, 28 formed inwardly adjacent from the ends of mounting plate 24 and outwardly from end plates 16, 18, respectively. Mounting

apertures 26, 28 are sized and spaced to allow cross fader to be mounted on conventional mixer panels as used by disk jockeys.

The interior of bottom plate 12 includes optocouplers 30, 32 at opposite ends thereof. As can be seen from Figure 3, optocouplers 30, 32 are C-shaped with parallel side faces 34, 36 and 38, 40, respectively. Side faces 34, 36 of optocoupler 30 are joined by end face 42, thereby forming space 44 with mouth 46. Likewise, side faces 38, 40 of optocoupler 32 are joined by end face 48, thereby forming space 50 with mouth 52. Optocouplers 30, 32 receive first and second channels of an audio signal, respectively. The first channel is converted to an optical signal and transmitted from side face 34 through space 44 to side face 36. Likewise, the second channel is converted to an optical signal and transmitted from side face 36 through space 50 to side face 38. These optical signals can be attenuated or completely eliminated by the positioning of opaque material within spaces 44, 50. The input and output of the first and second channels, along with the power requirements, are provided through jack 52 which is on the exterior of bottom plate 12 (which, again, is preferably formed as a P.C. board).

Blade shutter 54, as shown in Figure 1 and 3, is mounted to support structure 56. Support structure 56 includes apertures 58, 60 through which parallel guide rods 62, 64 pass. Parallel guide rods 62, 64 are supported by end plates 16, 18. If the

blade shutter 54 is pushed to a first extreme of the path of blade shutter 54, first edge 53 of blade shutter 54 is inserted through mouth 46 into space 44 thereby cutting or at least attenuating the optical signal communicated through optocoupler 30, while being free of contact or interference with optocoupler 32 thereby allowing the optical signal to pass without attenuation through optocoupler 32. Likewise, if blade shutter 54 is pushed to a second extreme of the path of blade shutter 54, second edge 55 of blade shutter 54 is inserted through mouth 52 into space 50 thereby cutting or at least attenuating the optical signal communicated through optocoupler 32, while being free of contact or interference with optocoupler 30 thereby allowing the optical signal to pass without attenuation through optocoupler 30. Furthermore, as shown in Figure 1, as the length of blade shutter 54 (measured horizontally from the perspective of Figure 1) is substantially less than the length of travel between spaces 44, 50, there is a range of positions of blade shutter 54 wherein blade shutter 54 is free from insertion into spaces 44, 50 and both optocouplers 30, 32 pass the respective signals without attenuation.

The position of blade shutter 54 is manually controlled by the user by the linear movement of knob 66. As shown in Figure 2, slot 68 is formed through top plate 14 and face plate 24 allowing for stem 68 to provide direct mechanical communication

between knob 66, support structure 56 and blade shutter 54 thereby allowing the user to move blade shutter 54 between the positions as described above to achieve the cross fading function.

Thus the several aforementioned objects and advantages are most effectively attained. Although preferred embodiments of the invention have been disclosed and described in detail herein, it should be understood that this invention is in no sense limited thereby and its scope is to be determined by that of the appended claims.

CLAIMS

What is Claimed is:


- 1. A cross fader including:
- a first optocoupler for receiving and transmitting a first signal, said first optocoupler including a first space through which said first signal is optically communicated;
- a second optocoupler for receiving and transmitting a second signal, said second optocoupler including a second space through which said second signal is optically communicated; and
- a shutter means with a range of travel, wherein at a first position in said range of travel, said shutter means is inserted into said first space thereby at least attenuating said first signal, and wherein at a second position in said range of travel, said shutter means is inserted into said second space thereby at least attenuating said second signal.
- 2. The cross fader of Claim 1 wherein said shutter means is a blade shutter.
- 3. The cross fader of Claim 2 wherein said first position is at a first end of said range of travel and wherein said second position is at a second end of said range of travel.


- 4. The cross fader of Claim 3 wherein said first and second optocouplers are C-shaped with a mouth through which said blade shutter enters said first and second spaces, respectively.
- 5. The cross fader of Claim 4 wherein said blade shutter is mechanically responsive to a stem which passes through a slot a surface of said cross fader to affix to a knob, wherein a user manipulates said knob to move said blade shutter within said range of travel.
- 6. The cross fader of Claim 5 wherein guide rods define a direction of said range of travel.
- 7. The cross fader of Claim 6 wherein said blade shutter is mounted on a support structure, said support structure including apertures through which said guide rods pass.
- 8. The cross fader of Claim 7 wherein said knob is moved linearly along a path defined by said slot in order to move said blade shutter along said range of travel.


- 9. The cross fader of Claim 8 wherein said range of travel includes a range of positions wherein said blade shutter is free from insertion into said first and second spaces.
- 10. The cross fader of Claim 9 wherein said first and second optocouplers are mounted on a p.c. board, said p.c. board forming an interior surface of a chassis.
- 11. The cross fader of Claim 10 wherein a face plate with mounting apertures is secured to said chassis.

ABSTRACT OF THE DISCLOSURE

The apparatus is a cross fader with dual optocouplers which communicate first and second audio signals. A manually controlled blade shutter travels along a linear path wherein at a first end of the path, a first edge of the blade shutter is inserted into the first optocoupler thereby attenuating or cutting the first audio signal. Likewise, at a second end of the path, a second edge of the blade shutter is inserted into the second optocoupler thereby attenuating or cutting the second audio signal.







YES

NO

COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

My (Our) resident (We) believe I (woriginal, first and and for which a p	ce, post office re) am (are) the joint inventor atent is sought WITH DUA	original, first and so (if plural names are on the invention ent. L OPTOCOUPLE	hip are as stated below need to be inventor (if only one mail isted below) of the subjectitled	ext to my (our) name(s). I ame is listed below) or an it matter which is claimed which is attached hereto
_ was file	d on	as United State	es Application	
Number or	PCT Internation	nal Application Num	iber	
and was	amended on _	(if app	olicable).	
specification, inc. I (We) acknowle Title 37, Code of I hereby claim	luding the clair dge the duty to Federal Regula foreign priority patent or inve	ns, as amended by and the disclose informations ations, ≥1.56. y benefits under Tientor's certificate listers	ny amendment referred to for which is material to particle 35, United States Control below and have also ide	s of the above identified above. patentability as defined in ode, >119 of any foreign entified below any foreign of the application on which
priority is claime				••
PRIOR FORE	IGN APPLIC	ATION(S)		
NUMBE		COUNTRY	DATE FILED	PRIORITY CLAIMED
				YES NO
				YES NO

I (We) hereby claim the benefit under Title 35, United States Code, ≥120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, ≥112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, ≥1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

APPLICATION NO.	FILING DATE	STATUS PATENTED, PENDING, ABANDONED

I (We) hereby declare that all statements made herein of my (our) own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I (We) hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Joseph C. Sullivan, Registration No. 18,720; J. David Dainow, Registration No. 22,959; Gerald Levy, Registration No. 24,419; Ronald R. Santucci, Registration No. 28,988; Ronald E. Brown, Registration No. 32,200; Matthew W. Siegal, Registration No. 32,941; John Gulbin, Registration No. 33,180. *I (We) further authorize my (our) attorney to insert the proper serial number and filing date awarded to my (our) application on this document, above my (our) signature(s).

SEND CORRESPONDENCE TO:

Gerald Levy, Esq.

PITNEY, HARDIN, KIPP & SZUCH LLP

711 Third Avenue New York, New York 10017-4059

DIRECT TELEPHONE CALLS TO: Gerald Levy

	(212) 297-5824	
RESIDENCE 1433 West 4 th Place, Mesa, Arizona 85201 POST OFFICE ADDRESS 1433 West 4 th Place, Mesa, Arizona 85201	United States DATE Z-3-2066	
FULL NAME OF SECOND JOINT INVENTOR. IF ANY	CITIZENSHIP	
inventor's signature	DATE	
RESIDENCE		
POST OFFICE ADDRESS		
full name of third joint inventor, if any	CITIZENSHIP	